




C3-100ct

1.00 in / 25 mm Component Tweeters




 TW	1.00 in / 25 mm	 WATT	25 - 150 W	 FREQ	4 KHz - 25 KHz $\pm$ 3 dB
 RMS	75 W (with appropriate crossover)	 SPL	90.0 dB @ 1 W / 1 m	 ZNOM	4 Ω

How we play.®



Answer these questions to troubleshoot your audio system



C3-100ct

1.00 in / 25 mm Component Tweeters

C3-100ct:

Two 1.00 in (25 mm) Tweeters
Deux Tweeters, 25 mm
Dos Altavoces de Agudos, 25 mm
Zwei Hochtonlautsprecher, 25 mm
Due Tweeters, 25 mm

TWEETER:

Silk, soft-dome
Neodymium magnet
Ferrofluid cooling / damping
Includes flush-mount and
surface-mount fixtures
2nd Order High-Pass Filter



⚠ **WARNING:** Cancer and reproductive harm | www.p65warnings.ca.gov

SKU: 99023 C3-100ct, Speaker, JLA, (99023)

GSKU: 010-03347-00

010-03347-00

Please review the warranty information included with each product for details. Warranty is valid only if the product was purchased from an Authorized JL Audio Dealer. Authorized dealer status can be verified with the Dealer Locator on www.jlaudio.com.

International Warranty:

Please contact your country's JL Audio distributor for specific warranty details.

Product images shown are for illustrative purposes only and may differ from the actual product. Due to continuous product development, all specifications are subject to change without notice. "JL AUDIO", "How we play", and the JL Audio logo are registered trademarks of JL Audio, Inc.

Made in China / Fabriqué en Chine
JL Audio, Inc. • Miramar, Florida • USA

WARNING: These tweeters must be used with an appropriate high-pass crossover filter, like the ones supplied in this kit. Failure to use an appropriate filter will result in damage and/or complete failure of the product and will not be covered under warranty. See the enclosed instructions for details.



S/N : 07279HHY

Warranty void if serial number label is altered, removed, replaced or defaced!