

Rockford Fosgate®

ACCESSORIES

| Total System Watts | | 300 | 400 | 500 | 600 | 800 | 1000 | 1400 | 1500 | 2000 | 3000 | 5000 |
|---|--|-----|-----|-----|-----|-----|------|------|------|------|------|------|
|  AGU | | 30 | 40 | 60 | | | | | | | | |
|  MAXI | | | | 50 | 60 | 80 | 100 | | | | | |
|  ANL | | | | | | | 100 | 150 | 200 | 300 | 500 | |
|  CIRCUIT BREAKER | | | | | | | 100 | 140 | 200 | | | |

Ring Terminals

100% solid brass with hard platinum plating. Available in seamed crimp or set screw designs.

Power Distribution

100% solid brass with platinum plating to transfer massive amounts of current with the least amount of resistance.

Fuseholders

Choose high current ANL, MAXI or the popular water-resistant AGU designs.

Battery Clamps

No system is complete without proper termination to your battery. RF carries multiple output designs for any type of system.



**...Find Out More
About These Products**
www.rockfordfosgate.com/products

A Division of Rockford Corporation
600 South Rockford Drive
Tempe, Arizona, 85281 USA

Rockford Fosgate is a registered trademarks of Rockford Corporation.

© 2006 All Rights Reserved.

RFFAGU



Made in China


RFFAGU

Rockford Fosgate®

EXCEEDS
AMERICAN WIRE
GAUGE STANDARDS

4/8 AWG **FUSE** **HOLDER**

4 or 8 AWG Input/Output



battery

fuse
holder

amplifier

USES
AGU
STYLE FUSES

80 Amp Max.

Protect components and wiring
from short circuit damage

- 100% solid brass with platinum plating
- Water-tight case design

PLATINUM
PLATED

**OPTIMUM
POWER
TRANSFER!**