



INSTALLATION INSTRUCTIONS FOR PART 99-7424

APPLICATIONS


Nissan Titan 2008-2012 99-7424

KIT FEATURES

- DIN radio provision with pocket
- ISO mount radio provision with pocket
- **Painted to match factory dash**

KIT COMPONENTS

- A) Trim panel • B) Radio housing • C) Trim ring • D) (9) Panel clips • E) Two sided tape (not shown)



WIRING & ANTENNA CONNECTIONS (sold separately)

Wiring Harness: • 70-7550 - Nissan harness 1995-up

Antenna Adapter: • Not required

TOOLS REQUIRED

- Panel removal tool • Phillips screwdriver • Small flat blade screwdriver • Torx T-10 driver



Table of Contents

Dash Disassembly

- Nissan Titan 2008-2012 2

Kit Preparation

- Nissan Titan 2008-2012 2

Kit Assembly

- Double DIN mount units provision..... 3
- Stacked ISO mount units provision 3

CAUTION: Metra recommends disconnecting the negative battery terminal before beginning any installation. All accessories, switches, and especially air bag indicator lights must be plugged in before reconnecting the battery or cycling the ignition.


NOTE: Refer to the instructions included with the aftermarket radio.

Dash Disassembly


1. Unclip the entire dash panel including the radio and climate controls. Unplug and remove the panel. (Figure A)
2. Remove (4) Phillips screws securing the radio chassis. Unplug and remove the chassis. (Figure B)
3. Remove (4) T-10 Torx screws securing the climate controls to the dash panel and remove the controls from the panel. (Retain the screws and climate controls for re-use during kit preparation.) (Figure C)
4. Remove (2) T10 Torx screws securing the passenger air bag status light assembly to the dash panel and remove the light from the panel. (Retain the screws and light for re-use during kit preparation.) (Figure C)

Note: The small round Airbag sticker also needs to be removed from the factory panel and placed onto the 99-7424 radio housing panel. (A round piece of double-sided tape is provided in case the factory sticker is not strong enough.) (Figure C)


Continue to kit preparation



(Figure A)



(Figure B)



(Figure C)

Kit Preparation


1. Attach the climate controls to the trim panel using the factory hardware removed during the dash disassembly. (Figure A)
2. Attach the passenger air bag status light assembly to the trim panel using the factory hardware removed during the dash disassembly. (Figure B)

Also, apply to air bag button the small round airbag sticker previously. (Figure B)


3. Attach the (9) panel clips in the same position as the factory radio trim panel.

Note: If clips are not provided then please remove the factory clips and re-use them.

Continue to kit assembly



(Figure A)



(Figure B)




99-7424


Kit Assembly

DIN radio provision with pocket

1. Locate the factory wiring harness in the dash. Metra recommends using the proper mating adapter from Metra or AXXESS. Re-connect the negative battery terminal and test the unit for proper operation.
2. Slide the DIN cage into the single DIN radio housing and secure by bending the metal locking tabs outward. (Figure A)
3. Slide the aftermarket radio into the cage until it snaps into place. (Figure B)
4. Reassemble dash in reverse order of disassembly.




(Figure A)




(Figure B)

ISO mount radio provision with pocket

1. Locate the factory wiring harness in the dash. Metra recommends using the proper mating adapter from Metra or AXXESS. Re-connect the negative battery terminal and test the unit for proper operation.
2. Mount the ISO brackets to the radio using the screws supplied with the radio. (Figure A)
3. Slide the radio into the radio housing until it snaps into place. (Figure B)
4. Snap the trim plate onto the front of the radio housing. (Figure B)
5. Reassemble dash in reverse order of disassembly.



(Figure A)



(Figure B)



INSTALLATION INSTRUCTIONS FOR PART 99-7424



REV. 11/6/2013 INST99-7424



KNOWLEDGE IS POWER

Enhance your installation and fabrication skills by enrolling in the most recognized and respected mobile electronics school in our industry. Log onto www.installerinstitute.com or call 800-354-6782 for more information and take steps toward a better tomorrow.



**Metra recommends MECP
certified technicians**

METRA. The World's best kits.™

1-800-221-0932

metraonline.com

© COPYRIGHT 2004-2013 METRA ELECTRONICS CORPORATION